

PB-246 632

FONTANA LAKE, SWAIN AND GRAHAM COUNTIES, NORTH CAROLINA
Pacific Northwest Environmental Research Laboratory

Prepared for:

National Environmental Research Center

June 1975

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

PB 246 632

**U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY
WORKING PAPER SERIES**



PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LABORATORY

An Associate Laboratory of the

NATIONAL ENVIRONMENTAL RESEARCH CENTER - CORVALLIS, OREGON

and

NATIONAL ENVIRONMENTAL RESEARCH CENTER - LAS VEGAS, NEVADA

Produced by
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U.S. Department of Commerce
Springfield, VA 22151

TECHNICAL REPORT DATA (Please read instructions on the reverse before completing)		
1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO. PB 246 632
4. TITLE AND SUBTITLE Report on Fontana Lake, Swain & Graham County, North Carolina		5. REPORT DATE Prepared June 1975
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Anonymous (National Eutrophication Survey Staff)		8. PERFORMING ORGANIZATION REPORT NO. Working Paper # 379
9. PERFORMING ORGANIZATION NAME AND ADDRESS National Eutrophication Survey U.S. Environmental Protection Agency 200 S. W. 35th St. Corvallis, Oregon 97330		10. PROGRAM ELEMENT NO.
		11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS Office of Research and Development U.S. Environmental Protection Agency 401 M Street, S. W. Washington, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED Final - 1973
		14. SPONSORING AGENCY CODE
15. SUPPLEMENTARY NOTES Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114		
16. ABSTRACT Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading		05B 05C
18. DISTRIBUTION STATEMENT Release unlimited	19. SECURITY CLASS (This Report)	21. NO. OF PAGES 60
	20. SECURITY CLASS (This page)	22. PRICE 450

325054

REPORT
ON
FONTANA LAKE
SWAIN AND GRAHAM COUNTIES
NORTH CAROLINA
EPA REGION IV
WORKING PAPER No. 379

WITH THE COOPERATION OF THE
NORTH CAROLINA DEPARTMENT OF NATURAL AND ECONOMIC RESOURCES
AND THE
NORTH CAROLINA NATIONAL GUARD
JUNE, 1975

CONTENTS

	<u>Page</u>
Foreword	ii
List of North Carolina Study Lakes	iv
Lake and Drainage Area Map	v
<u>Sections</u>	
I. Conclusions	1
II. Lake and Drainage Basin Characteristics	5
III. Lake Water Quality Summary	6
IV. Nutrient Loadings	11
V. Literature Reviewed	16
VI. Appendices	17

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to fresh water lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

- a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.
- b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.
- c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the North Carolina Department of Natural and Economic Resources for professional involvement and to the North Carolina National Guard for conducting the tributary sampling phase of the Survey.

Lewis R. Martin, Director of the Division of Environmental Management; Darwin L. Coburn, Chief of the Water Quality Section; and Julian R. Taylor, Supervisor of the Monitoring Program Unit; provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports and provided critiques most useful in the preparation of this Working Paper series.


Major General William M. Buck, formerly Adjutant General of North Carolina, and Project Officer Colonel Arthur J. Bouchard, who directed the volunteer efforts of the North Carolina National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY LAKES

STATE OF NORTH CAROLINA

<u>LAKE NAME</u>	<u>COUNTY</u>
Badin	Montgomery, Stanly
Blewett Falls	Anson, Richmond
Chatuge	Clay, NC; Towns, GA
Fontana	Graham, Swain
Hickory	Alexander, Caldwell, Catawba
High Rock	Davidson, Rowan
Hiwassee	Cherokee
James	Burke, McDowell
John H. Kerr (Nut Bush Creek)	Granville, Vance, Warren, NC; Halifax, Mecklenburg, VA
Junaluska	Haywood
Lookout Shoals	Alexander, Catawba, Iredell
Mountain Island	Gaston, Mecklenburg
Norman	Catawba, Iredell, Lincoln, Mecklenburg
Rhodhiss	Burke, Caldwell
Santeetlah	Graham
Tillery	Montgomery, Stanly
Waccamaw	Columbus
Waterville	Haywood
Wylie	Gaston, Mecklenburg, NC; York, SC



1

FONTANA LAKE
STORET NO. 3704

I. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Fontana Lake is mesotrophic. It ranked fifth in overall trophic quality when the 16 North Carolina lakes sampled in 1973 were compared using a combination of six parameters*. None of the other lakes had less but one had the same median total phosphorus, six had less and one had the same median orthophosphorus, ten had less median inorganic nitrogen, none had less mean chlorophyll a, and only one lake had a greater mean Secchi disc transparency.

The anoxic water stratum reported by Louder and Baker (1966) was evident during the August Survey sampling at stations 1, 2, 3, and 4 and again in October at stations 1 and 2 (see data in Appendix D).

Survey limnologists did not observe any concentrations of algae or macrophytes.

B. Rate-Limiting Nutrient:

The algal assay results indicate that Fontana Lake was phosphorus limited at the time the sample was collected (06/02/73). The lake data further substantiate limitation by phosphorus; i.e.,

* See Appendix A.

the mean inorganic nitrogen to orthophosphorus ratios were 71 to 1 or higher at all sampling times.

C. Nutrient Controllability:

1. Point sources--During the sampling year, the phosphorus contributions of point sources amounted to 5.0% of the total load reaching Fontana Lake. The origins were the wastewater treatment facilities at Western Carolina University in Cullowhee (2.1%), Bryson City (1.2%), Sylva (1.4%), and Dillsboro (0.3%). The present loading rate of $2.88 \text{ g/m}^2/\text{yr}$ is 1.7 times the rate proposed by Vollenweider (Vollenweider and Dillon, 1974) as a eutrophic rate (see page 15). Since the lake is phosphorus limited and currently receives a relatively high phosphorus load, all phosphorus inputs should be minimized to reduce the eutrophication rate to the greatest possible extent to preserve the existing high water quality of Fontana Lake.

2. Non-point sources--The mean annual contribution from non-point sources represented 95.0% of the total phosphorus load impacting Fontana Lake. The Little Tennessee River contributed 42.2%; the Tuckasegee River, 34.0%; the Nantahala River, 4.2%; and the three other gaged tributaries collectively contributed 3.3% of the total. The contributions from ungaged tributaries were estimated to be 10.7% of the total load.

The non-point phosphorus export rate of the Little Tennessee River was 46 kg/km²/yr during the sampling year. This rate is somewhat higher than the export rates of the other Fontana Lake tributaries (see page 15). However, this river basin is quite large, and there may have been unmeasured point sources outside the vicinity of Fontana Lake which increased the export rate. Generally, the export rates of Fontana Lake tributaries were comparable to the rates of tributaries to nearby Hiwassee Lake* (mean = 18 kg/km²/yr; range of 10 to 37 kg/km²/yr) and Santeeetlah Lake** (mean of 17 kg/km²/yr; range of 5 to 38 kg/km²/yr); and it appears that such export rates are typical for western North Carolina streams.

There was a substantial annual nitrogen loss from Fontana Lake which could very probably be explained by the situation in the Tuckasegee River Arm of the Reservoir as described by Louder and Baker (op. cit.). The Tuckasegee Arm of the Reservoir apparently has extensive sludge deposits, presumably from municipal and/or industrial wastes, which cause the anaerobic stratum in the lake reported by the authors and detected during the Survey. Under anaerobic conditions, ammonia-nitrogen could be solubilized from the bottom sludges which would result in an internal contribution to the total nitrogen load and therefore

* Working Paper No. 382.

** Working Paper No. 389.

account for the imbalance of nitrogen discharged from the lake versus external nitrogen loadings to the lake.

The nitrogen export rate of the Tuckasegee River basin was extremely high (1,503 kg/km²/yr), and ammonia concentrations in the river were also high though the phosphorus export rate was in the normal range. This indicates either that an upstream point source was contributing excessive loadings of nitrogen to the basin or that substantial quantities of nitrogen were being solubilized from sediments within the river.

II. LAKE AND DRAINAGE BASIN CHARACTERISTICS[†]

A. Lake Morphometry^{††}:

1. Surface area: 43.18 kilometers².
2. Mean depth: 41.3 meters.
3. Maximum depth: 134.1 meters.
4. Volume: $1,782 \times 10^6$ m³.
5. Mean hydraulic retention time: 179 days (based on outlet flow).

B. Tributary and Outlet: (See Appendix C for flow data)

1. Tributaries -

<u>Name</u>	<u>Drainage area (km²)*</u>	<u>Mean flow (m³/sec)*</u>
Little Tennessee River	1,139.6	29.6
Tuckasegee River	1,706.8	43.6
Alarka Creek	80.8	3.0
Nantahala River	427.3	15.6
Panther Creek	28.7	0.6
Stecoah Creek	27.2	1.0
Minor tributaries & immediate drainage -	<u>615.3</u>	<u>21.4</u>
Totals	4,025.7	114.8

2. Outlet -

Little Tennessee River	4,068.9**	115.5
------------------------	-----------	-------

C. Precipitation***:

1. Year of sampling: 147.7 centimeters.
2. Mean annual: 120.6 centimeters.

[†] Table of metric conversions--Appendix B.

^{††} Louder and Baker, 1966.

* For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".

** Includes area of lake.

*** See Working Paper No. 175.

III. LAKE WATER QUALITY SUMMARY

Fontana Lake was sampled three times during the open-water season of 1973 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from seven stations on the lake and from a number of depths at each station (see map, page v). During each visit, a single depth-integrated (4.6 m to surface) sample was composited from the seven stations for phytoplankton identification and enumeration; and during the first visit, two 18.9-liter depth-integrated samples were composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 83.8 meters at station 1, 61.0 meters at station 2, 71.6 meters at station 3, 43.0 meters at station 4, 47.2 meters at station 5, 32.9 meters at station 6, and 29.3 meters at station 7.

The lake sampling results are presented in full in Appendix D and are summarized in the following table.

A. SUMMARY OF PHYSICAL AND CHEMICAL CHARACTERISTICS FOR FONTANA LAKE
STORET CODE 3704

PARAMETER	1ST SAMPLING (6/ 2/73)				2ND SAMPLING (8/21/73)				3RD SAMPLING (10/26/73)			
	7 SITES				7 SITES				7 SITES			
	RANGE	MEAN	MEDIAN		RANGE	MEAN	MEDIAN		RANGE	MEAN	MEDIAN	
TEMP (C)	9.4 - 24.0	15.7	15.3		16.4 - 27.6	22.6	22.5		16.5 - 21.3	20.1	20.5	
DISS OXY (MG/L)	7.0 - 10.0	8.2	8.1		0.1 - 9.0	5.0	5.2		0.8 - 7.8	4.7	4.5	
CONDUCTV (MC2OH0)	50. - 50.	50.	50.		18. - 69.	26.	25.		22. - 46.	28.	27.	
PH (STAND UNITS)	6.5 - 8.2	6.9	6.4		5.3 - 8.2	6.2	5.9		5.9 - 6.7	6.3	6.3	
TOT ALK (MG/L)	10. - 16.	11.	10.		10. - 24.	12.	10.		10. - 14.	10.	10.	
TOT P (MG/L)	0.009 - 0.134	0.037	0.030		0.006 - 0.059	0.014	0.010		0.005 - 0.190	0.017	0.010	
ORTHO P (MG/L)	0.002 - 0.032	0.007	0.007		0.003 - 0.016	0.006	0.006		0.004 - 0.025	0.009	0.008	
NO2+NO3 (MG/L)	0.120 - 0.700	0.302	0.260		0.060 - 0.970	0.345	0.240		0.120 - 0.870	0.538	0.630	
AMMONIA (MG/L)	0.040 - 0.730	0.147	0.120		0.040 - 1.620	0.259	0.120		0.020 - 1.720	0.233	0.130	
KJEL N (MG/L)	0.200 - 1.000	0.353	0.200		0.200 - 2.300	0.573	0.400		0.200 - 3.100	0.507	0.300	
INORG N (MG/L)	0.140 - 1.050	0.509	0.450		0.150 - 1.790	0.604	0.450		0.250 - 2.190	0.771	0.740	
TOTAL N (MG/L)	0.320 - 1.270	0.656	0.540		0.300 - 2.430	0.914	0.810		0.420 - 3.680	1.040	0.860	
CHLORYL A (MG/L)	0.3 - 4.6	2.4	3.2		2.3 - 6.1	4.6	4.7		1.3 - 5.1	2.8	2.7	
SFCC-H (METERS)	0.1 - 2.7	1.4	1.3		1.7 - 4.6	2.9	2.3		2.5 - 4.6	3.7	4.0	

B. Biological characteristics:

1. Phytoplankton -

<u>Sampling Date</u>	<u>Dominant Genera</u>	<u>Algal Units per ml</u>
06/02/73 (stations 1, 2, 3, and 4)	1. Cyclotella	1,581
	2. Melosira	566
	3. Flagellates	189
	4. Tabellaria	71
	5. Asterionella	71
	Other genera	<u>24</u>
	Total	2,502
06/03/73 (stations 5, 6, & 7)	1. Cyclotella	2,202
	2. Flagellates	839
	3. Melosira	760
	4. Tabellaria	65
	5. Asterionella	65
	Other genera	<u>93</u>
	Total	4,024
08/21/73	1. Flagellates	894
	2. Cyclotella	623
	3. Blue-green filaments	244
	4. Dinoflagellates	81
	5. Melosira	54
	Other genera	<u>271</u>
	Total	2,167
10/26/73	1. Synedra	267
	2. Flagellates	187
	3. Cyclotella	178
	4. Tabellaria	125
	5. Melosira	98
	Other genera	<u>81</u>
	Total	936

2. Chlorophyll a -

<u>Sampling Date</u>	<u>Station Number</u>	<u>Chlorophyll <u>a</u> ($\mu\text{g/l}$)</u>
06/02-03/73	01	2.3
	02	2.3
	03	3.2
	04	3.5
	05	3.6
	06	0.8
	07	4.6
08/21/73	01	3.6
	02	4.7
	03	2.3
	04	3.8
	05	6.0
	06	5.8
	07	6.1
10/26/73	01	1.3
	02	1.5
	03	2.2
	04	2.8
	05	2.7
	06	4.0
	07	5.1

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

a. Stations 1, 2, and 3 -

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum yield (mg/l-dry wt.)</u>
Control	0.004	0.656	0.1
0.050	0.054	0.656	9.4
0.050 P + 1.0 N	0.054	1.656	9.1
1.0 N	0.004	1.656	0.1

b. Stations 4, 5, 6, and 7 -

<u>Spike (mg/l)</u>	<u>Ortho P Conc. (mg/l)</u>	<u>Inorganic N Conc. (mg/l)</u>	<u>Maximum yield (mg/l-dry wt.)</u>
Control	0.008	0.244	0.1
0.050 P	0.058	0.244	4.5
0.050 P + 1.0 N	0.058	1.244	12.3
1.0 N	0.008	1.244	0.1

3. Discussion -

The control yields of the assay alga, Selenastrum capricornutum, indicate that the potential primary productivity of Fontana Lake was low at the time the samples were collected. The addition of phosphorus alone resulted in increased algal yields and indicates phosphorus limitation. Note that addition of only nitrogen resulted in yields the same as those of the controls.

The lake data obtained at the various sampling times further substantiate limitation by phosphorus. The mean N/P ratios were 71/1 or greater on all occasions.

IV. NUTRIENT LOADINGS (See Appendix E for data)

For the determination of nutrient loadings, the North Carolina National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page v), except for the high runoff months of January and February when two samples were collected. Sampling was begun in March, 1973, and was completed in February, 1974.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the North Carolina District Office of the U.S. Geological Survey for the tributary sites nearest the lake.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings*. Nutrient loads shown are those measured minus point-source loads, if any.

Nutrient loads for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in kg/km²/year, at stations C-1 and E-1 and multiplying the means by the ZZ area in km².

The operator of the Western Carolina University wastewater treatment plant provided monthly effluent samples and corresponding flow data which were used to calculate the nutrient loads. Sylva, Bryson

* See Working Paper No. 175.

City, and Dillsboro did not participate in the sampling program. Nutrient loads from Sylva and Bryson City, which have secondary treatment, were estimated at 1.134 kg P and 3.401 kg N/capita/year. Nutrient loads from Dillsboro, which has no waste treatment, were estimated at 1.587 kg P and 4,623 kg N/capita/year.

A. Waste Sources:

1. Known municipal -

<u>Name</u>	<u>Pop. Served</u>	<u>Treatment</u>	<u>Mean Flow (m³/d)</u>	<u>Receiving Water</u>
Bryson City	1,290*	act. sludge	488.3**	Fontana Lake Cullowhee Creek
Western Carolina U.	5,287***	trickling filter	2,001.3	
Sylva	1,561*	act. sludge	590.8**	Scott Creek Tuckasegee River
Dillsboro	215*	none	81.4**	

2. Known industrial - None

* 1970 Census.

** Estimate based on 0.3785 m³/capita/day.

*** Estimate based on actual mean flow; includes population of Cullowhee.

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>kg P/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Little Tennessee River	52,360	42.2
Tuckasegee River	42,250	34.0
Alarka Creek	2,625	2.1
Nantahala River	5,180	4.2
Panther Creek	310	0.3
Stecoah Creek	1,105	0.9
b. Minor tributaries & immediate drainage (non-point load) -	13,320	10.7
c. Known municipal STP's -		
Bryson City	1,465	1.2
Dillsboro	340	0.3
Western Carolina U.	2,670	2.1
Sylva	1,770	1.4
d. Septic tanks* -	25	<0.1
e. Known industrial - None	-	-
f. Direct precipitation** -	755	0.6
Total	124,175	100.0

2. Outputs -

Lake outlet - Little Tennessee R. 65,830

3. Net annual P accumulation - 58,345 kg.

* Estimate based on 50 lakeshore dwellings, four campsites, and three parks; see Working Paper No. 175.

** See Working Paper No. 175.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

<u>Source</u>	<u>kg N/ yr</u>	<u>% of total</u>
a. Tributaries (non-point load) -		
Little Tennessee River	566,520	15.0
Tuckasegee River	2,565,510	67.9
Alarka Creek	42,690	1.1
Nantahala River	273,530	7.3
Panther Creek	6,155	0.2
Stecoah Creek	29,305	0.8
b. Minor tributaries & immediate drainage (non-point load) -	228,520	6.1
c. Known municipal STP's -		
Bryson City	4,390	0.1
Dillsboro	915	<0.1
Western Carolina U.	7,695	0.2
Sylva	5,310	0.1
d. Septic tanks* -	920	<0.1
e. Known industrial - None	-	-
f. Direct precipitation** -	<u>46,615</u>	<u>1.2</u>
Total	3,778,075	100.0

2. Outputs -

Lake outlet - Little Tennessee
River 5,279,760

3. Net annual N loss - 1,501,685 kg.

* Estimate based on 50 lakeshore dwellings, four campsites, and three parks; see Working Paper No. 175.

** See Working Paper No. 175.

D. Mean Annual Non-point Nutrient Export by Subdrainage Area:

<u>Tributary</u>	<u>kg P/km²/yr</u>	<u>kg N/km²/yr</u>
Little Tennessee River	46	497
Tuckasegee River	25	1,503
Alarka Creek	32	528
Nantahala River	12	640
Panther Creek	11	214
Stecoah Creek	41	1,077

E. Yearly Loading Rates:

In the following table, the existing phosphorus loading rates are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" rate is the rate at which the receiving water would become eutrophic or remain eutrophic; his "permissible" rate is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic rate would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	<u>Total Phosphorus</u>		<u>Total Nitrogen</u>	
	<u>Total</u>	<u>Accumulated</u>	<u>Total</u>	<u>Accumulated</u>
grams/m ² /yr	2.88	1.35	87.5	loss*

Vollenweider loading rates for phosphorus
(g/m²/yr) based on mean depth and mean
hydraulic retention time of Fontana Lake:

"Dangerous" (eutrophic rate)	1.74
"Permissible" (oligotrophic rate)	0.87

* The apparent loss of nitrogen from the lake during the sampling year is most probably due to nitrogen solubilization in bottom sludges in the Tuckasegee River Arm (see page 3).

V. LITERATURE REVIEWED

Louder, Darrell E., and W. Donald Baker, 1966. Some interesting limnological aspects of Fontana Reservoir. Proc. 20th Ann. Conf. SE Assoc. Game & Fish Comm., Asheville, NC, pp. 380-390.

Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
1	3719	LAKE WACCAMAW	534
2	3716	SANTEELAH LAKE	446
3	3711	MOUNTAIN ISLAND LAKE	419
4	3707	HIWASSEE LAKE	414
5	3704	FONTANA LAKE	392
6	3713	LAKE NORMAN	346
7	3708	LAKE JAMES	334
8	3710	LOOKOUT SHOALS	327
9	3715	RHODHISS LAKE	296
10	3705	LAKE HICKORY	283
11	3717	LAKE TILLERY	246
12	3709	LAKE JUNALUSKA	220
13	3702	BLEWETT FALLS LAKE	200
14	3718	WATERVILLE RESERVOIR	140
15	3701	BADIN LAKE	124
16	3706	HIGH ROCK LAKE	76

PERCENT OF LAKES WITH HIGHER VALUES (NUMBER OF LAKES WITH HIGHER VALUES)

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P	INDEX NO
3701	BADIN LAKE	33 (5)	7 (1)	27 (4)	27 (4)	3 (0)	27 (4)	124
3702	BLEWETT FALLS LAKE	7 (1)	13 (2)	7 (1)	73 (11)	93 (14)	7 (1)	200
3704	FONTANA LAKE	100 (15)	33 (5)	93 (14)	100 (15)	3 (0)	63 (9)	392
3705	LAKE HICKORY	27 (4)	60 (9)	53 (8)	13 (2)	80 (12)	50 (7)	283
3706	HIGH ROCK LAKE	13 (2)	20 (3)	0 (0)	0 (0)	23 (2)	20 (3)	76
3707	HIWASSEE LAKE	87 (13)	80 (12)	87 (13)	47 (7)	50 (7)	63 (9)	414
3708	LAKE JAMES	60 (9)	87 (13)	80 (12)	7 (1)	23 (2)	77 (11)	334
3709	LAKE JUNALUSKA	47 (7)	27 (4)	43 (6)	20 (3)	50 (7)	33 (5)	220
3710	LOOKOUT SHOALS	53 (8)	47 (7)	60 (9)	67 (10)	60 (9)	40 (6)	327
3711	MOUNTAIN ISLAND LAKE	73 (11)	73 (11)	43 (6)	53 (8)	87 (13)	90 (13)	419
3713	LAKE NORMAN	67 (10)	53 (8)	73 (11)	40 (6)	23 (2)	90 (13)	346
3715	RHODISS LAKE	20 (3)	67 (10)	33 (5)	93 (14)	70 (10)	13 (2)	296
3716	SANTEELAH LAKE	93 (14)	93 (14)	100 (15)	60 (9)	23 (2)	77 (11)	446
3717	LAKE TILLERY	40 (6)	40 (6)	13 (2)	33 (5)	70 (10)	50 (7)	246
3718	WATERVILLE RESERVOIR	0 (0)	0 (0)	20 (3)	80 (12)	40 (6)	0 (0)	140
3719	LAKE WACCANAW	80 (12)	100 (15)	67 (10)	87 (13)	100 (15)	100 (15)	534

LAKE DATA TO BE USED IN RANKINGS

LAKE CODE	LAKE NAME	MEDIAN TOTAL P	MEDIAN INORG N	500- MEAN SEC	MEAN CHLORA	15- MIN DO	MEDIAN DISS ORTHO P
3701	BADIN LAKE	0.042	0.680	466.750	7.190	14.900	0.012
3702	BLEWETT FALLS LAKE	0.090	0.655	476.889	4.167	10.800	0.034
3704	FONTANA LAKE	0.011	0.550	392.650	3.438	14.900	0.007
3705	LAKE HICKORY	0.047	0.320	461.000	7.275	13.400	0.008
3706	HIGH ROCK LAKE	0.090	0.580	477.454	14.283	14.800	0.017
3707	MIWASSEE LAKE	0.015	0.240	420.555	5.678	14.200	0.007
3708	LAKE JAMES	0.020	0.160	428.866	7.660	14.800	0.006
3709	LAKE JUNALUSKA	0.031	0.560	462.000	7.233	14.200	0.009
3710	LOOKOUT SHOALS	0.026	0.370	459.167	4.200	13.800	0.008
3711	MOUNTAIN ISLAND LAKE	0.018	0.270	462.000	5.580	12.800	0.005
3713	LAKE NORMAN	0.019	0.330	446.667	5.807	14.800	0.005
3715	RHODISS LAKE	0.061	0.305	462.111	3.578	13.600	0.019
3716	SANTEELAH LAKE	0.011	0.160	366.400	5.360	14.800	0.006
3717	LAKE TILLERY	0.040	0.470	468.600	6.827	13.600	0.008
3718	WATERVILLE RESERVOIR	0.103	0.860	468.333	3.817	14.400	0.041
3719	LAKE WACCAMAW	0.018	0.120	455.667	3.583	9.800	0.004

APPENDIX B

CONVERSION FACTORS

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107×10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX C

TRIBUTARY FLOW DATA

1966 CONF 376

(continued)

TOTAL FLOW IN	=	1342.97
TOTAL FLOW OUT	=	1342.91

54 • 60

1/10/75

Tributary Flow Information for Santa Carolina

LASE CODE 3704 FLOW DATA

MEAN MONTHLY FLOW (CFS) DAILY FLOW (CFS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
3704-01	3	73	167.89	25	90.46		
	4	73	79.57	29	112.76		
	5	73	-0.05	27	74.76		
	6	73	67.11				
	7	73	30.36	1	46.72	29	30.56
	8	73	34.76	19	25.84		
	9	73	24.43	9	24.92		
	10	73	17.70	12	18.94		
	11	73	26.60	10	15.57		
	12	73	65.44	8	64.73		
	1	74	159.76	5	151.50	20	59.47
	2	74	101.66	9	107.65	24	161.94
3704-01	3	74	5.66	25	4.96		
	4	74	3.56	29	6.86		
	5	74	3.68	27	3.11		
	6	74	2.85				
	7	74	1.42	1	1.84	29	1.56
	8	74	1.27	19	1.34		
	9	74	0.92	9	1.76		
	10	74	0.45	13	0.59		
	11	74	1.84	10	0.91		
	12	74	3.95	8	2.74		
	1	75	6.43	5	4.91	23	3.26
3704-01	2	75	5.10	9	7.66	24	4.81
	3	75	26.90	25	31.15		
	4	75	24.64	29	24.73		
	5	75	24.13	27	27.75		
	6	75	22.04				
	7	75	14.84	1	17.27	24	6.23
	8	75	15.44	19	17.61		
	9	75	13.54	9	18.97		
	10	75	8.20	12	11.61		
	11	75	7.65	10	13.45		
	12	75	15.13	8	17.50		
3704-01	1	76	43.81	5	42.78	20	26.33
	2	76	35.43	9	34.83	24	33.70
	3	76	2.13	25	0.45		
	4	76	1.70	28	2.41		
	5	76	1.96	27	1.13		
	6	76	1.34				
	7	76	0.34	1	0.65	29	0.57
	8	76	0.57	19	0.44		
	9	76	0.62	9	0.62		
	10	76	0.37	13	0.24		
	11	76	3.74	11	0.41		
	12	76	1.65	8	0.65		
3704-01	1	77	2.53	6	2.84	20	1.13
	2	77	1.34	10	1.71	24	1.70

LAKE CODE 3704 FOUNTAIN LAKE

TRIBUTARY FLOW INFORMATION FOR NORTH CAROLINA

1/10/75

MEAN MONTHLY FLOWS AND DAILY FLOWS (CMS)

TRIBUTARY	MONTH	YEAR	MEAN FLOW	DAY	FLOW	DAY	FLOW
3704F1	3	73	1.98	25	2.27		
	4	73	1.90	28	2.97		
	5	73	2.27	27	3.11		
	6	73	1.56				
	7	73	0.91	1	0.96	29	0.57
	8	73	0.79	19	0.51		
	9	73	0.57	9	0.59		
	10	73	0.42	13	0.42		
	11	73	0.82	11	0.37		
	12	73	1.98	9	1.47		
	1	74	2.83	6	2.55	20	1.13
	2	74	1.70	10	1.70	24	2.55
3704Z2	3	73	34.81				
	4	73	26.90				
	5	73	28.32				
	6	73	16.99				
	7	73	12.74				
	8	73	11.33				
	9	73	8.50				
	10	73	7.08				
	11	73	14.16				
	12	73	22.65				
	1	74	39.64				
	2	74	37.38				

APPENDIX D

PHYSICAL and CHEMICAL DATA

STORET RETRIEVAL DATE 75/01/07

370401
35 27 13.0 083 4H 16.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00410 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/02		09 45 0000		20.5		108	50K	7.00	10K	0.210	0.500	0.410	0.003
		09 45 0005		20.1	9.0		50K	7.00	10K	0.190	0.300	0.410	0.002K
		09 45 0027		17.5	9.0		50K	7.00					
		09 45 0050		15.4	8.2		50K	6.80	11	0.400	0.400	0.380	0.007
		09 45 0080		14.1	8.4		50K	6.80					
		09 45 0110		12.4	8.1		50K	6.60	10K	0.120	0.200K	0.580	0.006
		09 45 0150		11.6	8.4		50K	6.60	10K	0.070	0.200K	0.680	0.004
		09 45 0200		11.0	8.4		50K	6.50	10	0.060	0.200K	0.680	0.008
		09 45 0250		10.6	8.0		50K	6.60	18	0.090	0.200K	0.700	0.003
		09 45 0275		10.2	7.8		50K	6.60	10K	0.060	0.200K	0.600	0.005
73/08/21		12 35 0000		26.8		180	27	8.20	14	0.140	0.500	0.210	0.010
		12 35 0005		26.5	8.0		23	8.00	10K	0.140	0.300	0.200	0.006
		12 35 0015		26.1	7.4		25	7.70	10K	0.210	0.400	0.220	0.011
		12 35 0030		23.7	4.2		26	7.30	10K	0.380	0.700	0.330	0.006
		12 35 0050		22.3	3.6		22	6.90	10K	0.150	0.400	0.590	0.006
		12 35 0075		20.2	4.0		21	6.90	10K	0.050	0.200K	0.690	0.005
		12 35 0100		18.9	5.0		14	6.70	10K	0.040	0.200K	0.610	0.006
		12 35 0125		18.0	5.4		20	6.70	10K	0.040	0.200K	0.610	0.006
		12 35 0150		17.2	5.6		20	6.40	10K	0.050	0.200K	0.650	0.007
		12 35 0180		16.6	4.6		23	6.40	10K	0.040	0.200K	0.710	0.006
73/10/26		12 50 0000		20.6		168	27	6.50	10K	0.100	0.500	0.660	0.009
		12 50 0005		20.5	5.6		27	6.30	10K	0.080	0.200K	0.660	0.009
		12 50 0020		20.5	4.8		26	6.20	10K	0.080	0.200K	0.660	0.009
		12 50 0035		20.5	5.2		27	6.20	10K	0.080	0.200K	0.640	0.008
		12 50 0050		20.5	4.6		27	6.30	10K	0.080	0.200K	0.630	0.008
		12 50 0075		20.5	4.8		26	6.20	10K	0.080	0.200K	0.640	0.008
		12 50 0100		20.4	3.8		27	5.90	10K	0.060	0.200K	0.700	0.007
		12 50 0125		19.6	1.8		26	6.00	10K	0.030	0.200K	0.870	0.008
		12 50 0150		19.1	1.9		27	6.00	10K	0.020	0.200K	0.820	0.011
		12 50 0180		18.5	3.2		28	6.20	10K	0.030	0.200K	0.580	0.007
		12 50 0200		17.7	3.8		26	6.30	10K	0.030	0.200K	0.380	0.008

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/07

370401
35 27 13.0 043 48 16.6
FONTANA LAKE
37173 NORTH CAROLINA

11EPALES 2111202
3 0300 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLORPHYL A UG/L
73/06/02	09 45	0000	0.014	2.3
	09 45	0005	0.011	
	09 45	0050	0.010	
	09 45	0110	0.009	
	09 45	0150	0.010	
73/08/21	09 45	0200	0.010	3.6
	09 45	0250	0.011	
	09 45	0275	0.011	
	12 35	0000	0.009	
	12 35	0005	0.009	
	12 35	0015	0.010	
	12 35	0030	0.009	
	12 35	0050	0.006	
	12 35	0075	0.006	
	12 35	0100	0.006	
73/10/26	12 35	0125	0.006	1.3
	12 35	0150	0.007	
	12 35	0180	0.011	
	12 50	0000	0.007	
	12 50	0005	0.007	
	12 50	0020	0.006	
	12 50	0035	0.006	
	12 50	0050	0.006	
	12 50	0075	0.007	
	12 50	0100	0.006	
	12 50	0125	0.006	
	12 50	0150	0.008	
	12 50	0180	0.005	
	12 50	0200	0.006	

STOREY RETRIEVAL DATE 75/01/07

370402
35 26 42.0 083 43 37.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY		WATER TEMP		DO		TRANSP SECCHI INCHES		CONDUCTIVITY FIELD MICROMHO		PH		T ALK CAC03 MG/L		NH3-N TOTAL MG/L		TOT KJEL N MG/L		NO2&NO3 N-TOTAL MG/L		PHOS-DIS ORTHO MG/L P	
73/06/07		13 00 0000		22.2		9.4		96		50K		6.90		10K		0.250		0.600		0.400		0.003	
		13 00 0005		21.5		7.6				50K		6.90											
		13 00 0027		17.1		7.6				50K		6.70											
		13 00 0050		15.8		7.6				50K		6.70											
		13 00 0075		14.3		8.0				50K		6.70											
		13 00 0100		13.3		7.6				50K		6.60											
		13 00 0125		12.1		7.4				50K		6.50											
		13 02 0165		11.3						50K													
73/08/21		13 15 0000		26.7		7.4		162		26		6.40		10K		0.190		0.300		0.250		0.004	
		13 15 0005		26.7		7.0				25		6.70				0.180		0.200		0.240		0.004	
		13 15 0015		25.9		7.0				24		6.40				0.340		0.600		0.310		0.006	
		13 15 0030		23.8		0.2				28		5.80		10K		0.110		0.200K		0.970		0.005	
		13 15 0050		22.2		1.0				25		5.80		10K		0.070		0.200K		0.930		0.004	
		13 15 0075		20.1		1.8				23		5.80		10K		0.060		0.200K		0.910		0.006	
		13 15 0100		18.8		2.8				22		5.80		10K		0.080		0.200K		0.810		0.004	
		13 15 0125		17.9		3.8				21		5.80		10K		0.050		0.200K		0.750		0.005	
		13 15 0140		17.4		4.2				19		5.80		10K		0.160		0.400		0.720		0.004	
73/10/26		13 40 0000		20.8		4.4		180		30		6.40		10K		0.160		0.200		0.740		0.007	
		13 40 0010		20.6		4.4				29		6.20		10K		0.170		0.200		0.750		0.008	
		13 40 0025		20.6		4.4				28		6.30		10K		0.160		0.200		0.750		0.008	
		13 40 0050		20.6		4.6				28		6.30		10K		0.160		0.200		0.740		0.007	
		13 40 0075		20.6		4.6				28		6.20		10K		0.160		0.200		0.740		0.008	
		13 40 0100		20.2		0.8				26		6.00		10K		0.030		0.200K		0.600		0.008	
		13 40 0150		19.1		4.6				26		6.30		10K		0.030		0.200K		0.330		0.010	
		13 40 0200		17.9		4.0				26		6.30		10K		0.030		0.200K		0.280		0.009	

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/07

370402
35 26 42.0 0A3 43 37.0
FONTANA LAKE
37173 NORTH CAROLINA

11EPALES 2111202
3 0170 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L
73/06/02	13 00	0000	0.017	2.3
	13 00	0075	0.011	
	13 00	0100	0.010	
	13 00	0125	0.010	
73/08/21	13 15	0000	0.007	4.7
	13 15	0005	0.004	
	13 15	0015	0.009	
	13 15	0030	0.007	
	13 15	0050	0.006	
	13 15	0075	0.006	
	13 15	0100	0.006	
	13 15	0125	0.007	
	13 15	0140	0.004	
73/10/26	13 40	0000	0.006	1.5
	13 40	0010	0.006	
	13 40	0025	0.006	
	13 40	0050	0.006	
	13 40	0075	0.006	
	13 40	0100	0.006	
	13 40	0150	0.004	
	13 40	0200	0.004	

STORET RETRIEVAL DATE 75/01/07

370403
35 26 09.0 083 35 08.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO	TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIV FIELD MICRONHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KjEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/02	14 00 0000		24.0		70	50K	7.80					
	14 00 0005		21.8	9.6		50K	7.50					
	14 00 0017		18.3	8.0		50K	7.10					
	14 00 0020		17.6	7.8		50K	6.90					
	14 00 0030		17.0	8.0		50K	6.80					
	14 00 0050		16.2	8.0		50K	6.70					
	14 00 0075		14.8	7.7		50K	6.70					
	14 00 0100		12.9	9.1		50K	6.70					
	14 00 0150		11.5	8.6		50K	6.70					
	14 00 0200		10.8	8.0		50K	6.60					
73/08/21	14 00 0235		10.5	7.0	136	50K	6.50					
	13 55 0000		27.4			27	6.20	10K	0.110	0.200K	0.100	0.007
	13 55 0005		27.3	4.8		26	6.10	10K	0.080	0.200K	0.120	0.002
	13 55 0015		26.5	5.8		31	6.00	10K	0.140	0.200K	0.320	0.004
	13 55 0030		23.7	2.6		35	5.90	10	0.170	0.200K	0.300	0.005
	13 55 0050		22.3	1.6		24	5.80	10	0.210	0.300	0.410	0.004
	13 55 0075		20.3	5.2		22	6.20	10K	0.310	0.600	0.230	0.007
	13 55 0100		18.9	6.0		21	6.50	10K	0.350	0.600	0.230	0.005
	13 55 0130		17.8	5.4		20	6.60	10	0.600	0.900	0.250	0.005
	13 55 0160		16.9	4.6		20	5.80	10	1.250	1.500	0.440	0.007
73/10/26	13 55 0190		16.4	2.4		22	5.80	10	0.060	0.400	0.830	0.005
	14 20 0000		21.0		180	20	5.80	10K	0.060	0.200K	0.250	0.004
	14 20 0010		20.7			23	5.60	10K	0.040	0.200K	0.130	0.005
	14 20 0030		20.6	4.2		30	6.30	10K	0.060	0.200K	0.300	0.004
	14 20 0050		20.6	4.0		31	6.20	10K	0.360	0.200K	0.450	0.007
	14 20 0100		20.2	3.6		33	6.20	10K	0.370	0.400	0.360	0.006
	14 20 0100		20.2	3.6		37	6.10	14	0.340	0.500	0.760	0.007
	14 20 0170		18.8	3.4		36	6.40	10K	0.320	0.600	0.740	0.005
							6.30	10K	0.850	1.100	0.750	0.005
								10K	1.720	1.900	0.320	0.012

K VALUE KNOWN TO BE
LESS THAN INDICATED

STOPET RETRIEVAL DATE 75/01/07

470403
35 26 09.0 043 35 04.0
FONTANA LAKE
37173 NORTH CAROLINA

11EPALES 2111202
3 0240 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLRPHYL A UG/L
73/06/02	14 00	0000		3.2
	14 00	0075	0.053	
	14 00	0100	0.032	
	14 00	0150	0.017	
	14 00	0200	0.016	
73/08/21	14 00	0235	0.019	
	13 55	0000	0.004	2.3
	13 55	0005	0.004	
	13 55	0015	0.010	
	13 55	0030	0.009	
73/10/26	13 55	0050	0.009	
	13 55	0075	0.006	
	13 55	0100	0.009	
	13 55	0130	0.007	
	13 55	0160	0.009	
	13 55	0190	0.012	
	14 20	0000	0.010	2.2
	14 20	0010	0.004	
	14 20	0030	0.010	
	14 20	0100	0.014	
	14 20	0170	0.041	

STORET RETRIEVAL DATE 75/01/07

370404
35 26 32.0 083 33 19.0
FONTANA LAKE
37173 NORTH CAROLINA

		11EPALES		2111202		0145 FEET		DEPTH			
		3									
DATE FROM TO	TIME OF DAY	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CAC03 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT N KJEL N MG/L	00630 NO2&NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/02	15 30 0000	21.7			50K	6.90	10K	0.390	1.000	0.270	0.006
	15 30 0004	20.7	9.6		50K	7.30	10K	0.320	0.500	0.230	0.004
	15 30 0015	19.4	8.4		50K	7.00	10K	0.560	0.700	0.240	0.006
	15 30 0030	15.7	8.4		50K	6.90	10K	0.620	0.700	0.260	0.006
	15 30 0050	15.2	9.4		50K	6.90	10K	0.520	0.600	0.200	0.006
	15 30 0075	14.5	7.6		50K	6.70	10K	0.440	0.800	0.330	0.007
73/08/21	15 30 0100	11.8	7.2		50K	6.70	10K	0.730	0.900	0.320	0.006
	15 30 0120	10.6	7.0		50K	6.60	10K	0.700	0.800	0.340	0.007
	15 30 0141	10.1									
	14 30 0000	26.7		90	28	5.90	10K	0.450	0.900	0.240	0.006
	14 30 0005	26.7	7.8		23	5.90	10K	0.420	0.800	0.230	0.004
	14 30 0015	25.3	5.4		32	5.80	11	0.960	1.700	0.960	0.004
73/10/24	14 30 0030	23.7	5.8		31	5.70	11	1.310	1.800	0.280	0.005
	14 30 0050	22.4	4.2		39	5.60	11	1.460	2.100	0.330	0.007
	14 30 0075	20.1	0.4		24	5.30	10K	0.160	0.700	0.960	0.004
	14 30 0100	19.0	0.2		27	5.30	10K	0.420	0.900	0.660	0.003
	14 30 0115	18.5	0.1		37	5.40	15	0.890	1.300	0.130	0.004
	14 30 0130	18.0	4.4		69	5.40	24	1.620	2.300	0.070	0.003
	15 00 0000	20.8		120	34	6.20	10K	0.470	0.800	0.740	0.013
	15 00 0005	20.8	4.4		33	6.20	11	0.480	0.600	0.750	0.010
	15 00 0015	20.6	4.2		32	6.20	12	0.470	0.700	0.750	0.008
	15 00 0035	20.6	3.6		34	6.10	12	0.490	0.700	0.750	0.008
15 00 0075	20.5	4.4		33	6.20	10K	0.500	0.900	0.760	0.011	
15 00 0100	19.3	3.8		42	6.40	10K	0.600	3.000	0.560	0.016	
15 00 0115	18.9	4.0		45	6.40	10K	0.600	3.100	0.580	0.014	

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/77

370404
35 26 32.0 0.3 3 19.0
FOUJANA LAF
37173 NORTH CAROLINA

11EPALES 2111202
3 0145 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLORPHYL A UG/L
73/06/02	15 30	0000	0.014	3.5
	15 30	0006	0.015	
	15 30	0015	0.025	
	15 30	0030	0.016	
	15 30	0050	0.049	
	15 30	0075	0.135	
	15 30	0100	0.029	
73/08/21	15 30	0120	0.014	3.4
	14 30	0000	0.004	
	14 30	0005	0.004	
	14 30	0015	0.010	
	14 30	0030	0.012	
	14 30	0050	0.016	
	14 30	0075	0.004	
73/10/24	14 30	0100	0.012	2.4
	14 30	0115	0.014	
	14 30	0130	0.034	
	15 00	0000	0.017	
	15 00	0005	0.013	
	15 00	0015	0.010	
	15 00	0035	0.004	
	15 00	0075	0.013	
	15 00	0100	0.060	
	15 00	0115	0.190	

STORET RETRIEVAL DATE 75/01/07

370405

35 24 47.0 083 33 29.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY	DEPTH FEET	00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROHMO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/03	09 00 0000	09 00 0006	22.8	22.8		30	50K	8.20	10K	0.070	0.300	0.170	0.005
				21.4	10.0		50K	8.10	10K	0.070	0.200K	0.170	0.005
				17.4	7.8		50K	7.70	10K	0.150	0.200K	0.280	0.008
				16.6	8.0		50K	7.40	10K	0.170	0.200K	0.290	0.009
				15.2	8.2		50K	7.30	10	0.130	0.200K	0.220	0.010
				13.8	8.6		50K	7.20	10K	0.110	0.500	0.190	0.008
				12.1	9.0		50K	7.20	10K	0.060	0.400	0.120	0.007
				10.5	9.0		50K	7.10	10K	0.060	0.400	0.160	0.007
				9.8	8.0		50K	7.00	10K	0.070	0.500	0.210	0.007
				27.4		44	26	7.30	13	0.170	1.000	0.180	0.011
73/08/21	14 05 0000	14 05 0005	27.2	27.2	8.0		27	6.90	11	0.130	0.600	0.180	0.010
				24.5	6.0		27	6.20	13	0.120	0.300	0.240	0.016
				23.8	5.8		27	5.90	14	0.120	0.500	0.250	0.012
				22.3	6.6		25	5.80	14	0.080	0.400	0.120	0.006
				20.4	6.6		24	5.40	15	0.150	0.300	0.160	0.005
				19.0	7.2		22	5.60	14	0.080	0.400	0.080	0.007
				17.8	2.2		28	5.40	16	0.200	0.500	0.180	0.006
				21.3		156	24	6.50	10K	0.160	0.400	0.410	0.008
				20.7	6.2		24	6.60	10K	0.140	0.400	0.400	0.008
				20.7	5.8		24	6.40	10K	0.140	0.400	0.410	0.008
73/10/26	16 15 0000	16 15 0025	20.6	20.6	6.0		24	6.40	10K	0.130	0.300	0.350	0.004
				20.5	6.0		24	6.50	10K	0.120	0.400	0.290	0.006
				19.8	6.0		25	6.50	10K	0.120	0.400	0.220	0.005
				19.8									

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/07

370005
35 24 47.0 36.3 33 29.0
FULTON LAKE
37173 NORTH CAROLINA

11EPALES 2111202
J 0159 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	90665		32217	
			PHOS-TOT	MG/L P	CHLORPHYL A	UG/L
73/06/03	09 00	0000	0.030			3.6
	09 00	0006	0.030			
	09 00	0015	0.077			
	09 00	0030	0.079			
	09 00	0050	0.042			
	09 00	0075	0.040			
	09 00	0100	0.014			
	09 00	0125	0.015			
	09 00	0155	0.064			
	14 05	0000	0.012			6.0
73/08/21	14 05	0005	0.011			
	14 05	0015	0.017			
	14 05	0030	0.013			
	14 05	0050	0.011			
	14 05	0075	0.011			
	14 05	0100	0.015			
	14 05	0125	0.034			
	16 15	0000	0.010			2.7
73/10/26	16 15	0010	0.010			
	16 15	0025	0.010			
	16 15	0050	0.007			
	16 15	0090	0.030			
	16 15	0104	0.033			

STORET RETRIEVAL DATE 75/01/07

370406
35 22 52.0 083 33 17.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY		WATER TEMP CENT		DO MG/L		00077 TRANSP SECCHI INCHES		00094 CONDUCTVY FIELD MICROMHO		00400 PH SU		00410 T ALK CAC03 MG/L		00610 NH3-N TOTAL MG/L		00625 TOT KJEL N MG/L		00630 NO2&NO3 N-TOTAL MG/L		00671 PHOS-DIS ORTMO MG/L P	
73/06/03	10 00 0000	10 00 0006	19.9	18.2	16.5	15.3	13.7	13.0	12	50K	50K	7.00	13	0.080	0.200K	0.080	0.200K	0.240	0.009	0.007	0.011	0.008	0.007
73/08/21	16 30 0000	16 30 0005	27.4	27.3	25.1	23.7	22.5	20.2	68	29	50K	6.70	11	0.140	0.200K	0.140	0.200K	0.160	0.011	0.008	0.008	0.007	
73/10/26	14 40 0000	14 40 0010	20.7	20.4	20.3	20.1	16.5	100	30	22	22	5.60	19	0.140	0.700	0.140	0.300	0.080	0.005	0.006	0.007	0.008	0.008

K VALUE KNOWN TO BE
LESS THAN INDICATED

STOREY RETRIEVAL DATE 75/01/07

370465
35 24 47.0 743 33 29.0
F DALLAS LAKE
37173 NORTH CAROLINA

11EPALES 2111202
J 0159 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	90665 PHOS-TOT MG/L P	32217 CHLOROPHYL A UG/L
73/06/03	09 00	0000	0.030	3.6
	09 00	0006	0.030	
	09 00	0015	0.077	
	09 00	0030	0.079	
	09 00	0050	0.042	
	09 00	0075	0.040	
	09 00	0100	0.014	
	09 00	0125	0.016	
	09 00	0155	0.064	
	09 00	0155	0.012	
73/08/21	14 05	0000	0.011	6.0
	14 05	0005	0.011	
	14 05	0015	0.017	
	14 05	0030	0.013	
	14 05	0050	0.011	
	14 05	0075	0.011	
	14 05	0100	0.015	
	14 05	0125	0.034	
73/10/26	16 15	0000	0.010	2.7
	16 15	0010	0.010	
	16 15	0025	0.010	
	16 15	0050	0.007	
	16 15	0090	0.036	
	16 15	0108	0.033	

STORET RETRIEVAL DATE 75/01/07

370406

35 22 52.0 083 33 17.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY		DEPTH FEET		WATER TEMP CENT		DO MG/L		TRANSP SECCHI INCHES		CONDUCTIVITY FIELD MICROMHO		PH SU		T ALK CACO3 MG/L		NH3-N TOTAL MG/L		TOT KjEL N MG/L		NO2+NO3 N-TOTAL MG/L		PHOS-DIS ORTHO MG/L P	
73/06/03		10 00	0000	10 00	0000	21.5				12		50K		7.00		00410		00610		00625		00630		00671	
		10 00	0006	10 00	0006	19.9	8.5					50K		7.00		00410		00610		00625		00630		00671	
		10 00	0015	10 00	0015	18.2	8.4					50K		6.90		00410		00610		00625		00630		00671	
		10 00	0030	10 00	0030	16.5	8.4					50K		6.90		00410		00610		00625		00630		00671	
		10 00	0050	10 00	0050	15.3	8.6					50K		6.90		00410		00610		00625		00630		00671	
		10 00	0070	10 00	0070	13.7	9.0					50K		6.80		00410		00610		00625		00630		00671	
		10 00	0090	10 00	0090	13.0	8.9					50K		6.80		00410		00610		00625		00630		00671	
		10 00	0108	10 00	0108	11.9	7.2					50K		6.70		00410		00610		00625		00630		00671	
73/08/21		16 30	0000	16 30	0000	27.4				68		29		7.70		00410		00610		00625		00630		00671	
		16 30	0005	16 30	0005	27.3	9.0					28		7.10		00410		00610		00625		00630		00671	
		16 30	0015	16 30	0015	25.1	7.2					25		6.50		00410		00610		00625		00630		00671	
		16 30	0030	16 30	0030	23.7	7.6					25		6.10		00410		00610		00625		00630		00671	
		16 30	0050	16 30	0050	22.5	4.8					27		5.90		00410		00610		00625		00630		00671	
		16 30	0070	16 30	0070	20.2						26		5.70		00410		00610		00625		00630		00671	
		16 30	0080	16 30	0080	19.4	3.6					30		5.60		00410		00610		00625		00630		00671	
73/10/26		14 40	0000	14 40	0000	20.7				100		22		6.60		00410		00610		00625		00630		00671	
		14 40	0010	14 40	0010	20.4	6.8					22		6.60		00410		00610		00625		00630		00671	
		14 40	0020	14 40	0020	20.3	6.4					22		6.50		00410		00610		00625		00630		00671	
		14 40	0050	14 40	0050	20.1	6.6					22		6.50		00410		00610		00625		00630		00671	
		14 40	0063	14 40	0063	16.5	7.8					22		6.60		00410		00610		00625		00630		00671	

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/07

370406
35 22 52.0 0R3 33 17.0
FOUNTAIN LAKE
37173 NORTH CAROLINA

11EPALFS 2111202
3 0112 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	6565 PHOS-TOT MG/L P	32217 CHLOROPHYL A UG/L
73/06/03	10 00	0000	0.052	0.8
	10 00	0006	0.051	
	10 00	0015	0.048	
	10 00	0030	0.064	
	10 00	0050	0.079	
	10 00	0070	0.046	
	10 00	0090	0.044	
	10 00	0108	0.043	
	16 30	0000	0.018	
	16 30	0005	0.020	
73/04/21	16 30	0015	0.027	5.8
	16 30	0030	0.039	
	16 30	0050	0.054	
	16 30	0070	0.025	
	16 30	0090	0.039	
	16 40	0000	0.010	
73/10/26	14 40	0010	0.011	4.0
	14 40	0020	0.011	
	14 40	0050	0.014	
	14 40	0063	0.064	

STORET RETRIEVAL DATE 75/01/07

370407
35 21 59.0 083 33 50.0
FONTANA LAKE
37173 NORTH CAROLINA

DATE FROM TO		TIME OF DAY		DEPTH FEET		00010 WATER TEMP CENT	00300 DO MG/L	00077 TRANSP SECCHI INCHES	00094 CONDUCTIVITY FIELD MICROMHO	00400 PH SU	00410 T ALK CACO3 MG/L	00610 NH3-N TOTAL MG/L	00625 TOT KJEL N MG/L	00630 NO2+NO3 N-TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P
73/06/03		12 30	0000	12 30	0006	23.8		24	50L	7.30	10K	0.080	0.300	0.150	0.006
		12 30	0006	12 30	0006	19.9	8.0		50L	7.10	10K	0.090	0.200	0.210	0.005
		12 30	0015	12 30	0015	18.0	7.6		50L	6.90	10K	0.120	0.300	0.260	0.006
		12 30	0030	12 30	0030	16.6	7.6		50L	6.90	14	0.170	0.400	0.280	0.013
		12 30	0050	12 30	0050	15.3	8.5		50L	6.80	14	0.100	0.200K	0.170	0.007
		12 30	0072	12 30	0072	13.6	9.2		50L	6.90	14	0.070	0.200K	0.120	0.006
		12 30	0096	12 30	0096	12.4	7.8		50L	6.90	16	0.110	0.200K	0.160	0.007
73/08/21		16 50	0000	16 50	0000	27.6		78	29	7.70	16	0.060	0.700	0.100	0.005
		16 50	0005	16 50	0005	27.5	9.0		31	7.30	13	0.060	0.700	0.100	0.010
		16 50	0015	16 50	0015	25.6	5.8		28	6.20	15	0.070	0.500	0.120	0.007
		16 50	0030	16 50	0030	24.1	5.0		24	5.90	16	0.100	0.200K	0.110	0.004
		16 50	0045	16 50	0045	22.7	6.8		25	5.80	14	0.090	0.200	0.100	0.015
		16 50	0060	16 50	0060	21.7	8.0		22	5.80	14	0.120	0.300	0.170	0.010
73/10/26		14 17	0000	14 17	0000	21.0		105	22	6.70	11	0.130	0.400	0.260	0.009
		14 17	0010	14 17	0010	20.4	6.6		22	6.70	11	0.100	0.300	0.250	0.006
		14 17	0025	14 17	0025	20.4	6.6		23	6.70	10	0.100	0.200	0.250	0.008
		14 17	0045	14 17	0045	20.3	6.6		23	6.70	11	0.100	0.200	0.260	0.008

K VALUE KNOWN TO BE
LESS THAN INDICATED

STORET RETRIEVAL DATE 75/01/07

3/0407
35 21 59.0 043 33 50.0
FONTANA LAKE
37173 NORTH CAROLINA

11FPALES 2111202
3 0100 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00665 PHOS-TOT MG/L P	32217 CHLORPHYL a UG/L
73/06/03	12 30	0000	0.029	4.6
	12 30	0005	0.053	
	12 30	0015	0.066	
	12 30	0030	0.098	
	12 30	0050	0.045	
73/08/21	12 30	0072	0.034	6.1
	12 30	0095	0.043	
	16 50	0000	0.014	
	16 50	0005	0.015	
	16 50	0015	0.016	
73/10/26	16 50	0030	0.064	5.1
	16 50	0045	0.014	
	16 50	0060	0.024	
	14 17	0000	0.013	
	14 17	0010	0.015	
	14 17	0025	0.010	
	14 17	0045	0.010	

APPENDIX E

TRIBUTARY and WASTEWATER
TREATMENT PLANT DATA

STORET RETRIEVAL DATE 75/01/20

3704A1 LS3704A1
 35 27 00.0 083 49 00.0
 LITTLE TENNESSEE
 37 7.5 FONTANA DAM
 0 FONTANA LAKE
 300 FT ABOVE HWY 2A BRDG HELO DAM
 JIEPALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO2&NO3 N-TOTAL MG/L	00625 TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTH0 MG/L P	00665 PHOS-TOT MG/L P
73/03/25	11 30		0.470	0.270	0.154	0.011	0.011
73/04/24	10 55		0.420	0.110	0.012	0.005K	0.010
73/05/27	13 00		0.530	0.100K	0.025	0.005K	0.030
73/07/01	12 15		0.410	0.260	0.019	0.004	0.010
73/07/24	11 15		0.560	1.470	0.047	0.011	0.025
73/08/19	12 30		0.520	1.900	0.126	0.005K	0.020
73/10/13	11 05		0.510	2.510	0.036	0.004	0.004
73/11/11	10 30		0.510	1.700	0.240	0.005K	0.005K
73/12/09	12 00		0.540		0.140	0.009	
74/01/06	18 00		0.620	0.625	0.128	0.004	0.037
74/01/20	13 00		0.470	0.900	0.124	0.004	0.020
74/02/10	13 00		0.410	0.700	0.075	0.005	0.020
74/02/24	13 00		0.320	0.900	0.075	0.005K	0.020

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET CATERPILLAR DATE 7/20/13

370442 153/0442
 35 17 00.0 083 24 32.0
 LITTLE TENNESSEE RIVER
 37 MAP MACON CO
 TENNESSEE
 0.000 1 MI NE STILTS SW JCT WITH HWY 24
 2111204
 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 TOTAL MG/L	00625 TOTAL MG/L	00616 TOTAL MG/L	00671 PHOS-DIS OUT-TO MG/L P	00665 PHOS-TOT MG/L P
73/03/25	11 45		0.176	0.220	0.023	0.007	0.040
73/04/24	15 50		0.157	0.220	0.014	0.011	0.050
73/05/27	12 05		0.115	0.205	0.033	0.009	0.030
73/07/01	11 10		0.123	0.310	0.046	0.013	0.045
73/07/20	10 45		0.124	0.290	0.044	0.016	0.045
73/08/10	10 30		0.210		0.154	0.013	0.194
73/10/13	17 45		0.259	0.330	0.021	0.017	0.055
73/11/10	10 05		0.216	0.300	0.076	0.032	0.055
73/12/06	10 20		0.224	0.300	0.028	0.016	0.060
74/01/25	11 04		0.252	0.300	0.040	0.008	0.070
74/01/29	11 15		0.200	0.270	0.036	0.012	0.035
74/02/10	11 35		0.213	0.230	0.035	0.010	0.065
74/02/24	12 10		0.158	0.220	0.030	0.005	0.075

STORE REFILL VAL DATE 7/20/13

373441
 35 26 00.0 0-1 25 00.0
 LOCKASEIGEE WIPED
 37 MAP SPAIN CO
 1/FONTANA LAKE
 MAY 19 BRDG JUST E OF MAYSON CITY
 NEPALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00673 N-TOTAL MG/L	00625 TOT KjEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-015 OPT40 MG/L P	00665 PHOS-TOT MG/L P
73/03/25	12	40	0.176	1.350	0.850	0.005K	0.020
73/04/29	17	20	0.140	1.300	0.950	0.005K	0.020
73/05/27	14	15	0.154	2.100	1.270	0.010	0.025
73/07/01	12	50	0.132	1.240	1.090	0.005K	0.035
73/07/29	12	15	0.260	3.150	2.600	0.006	0.055
73/08/10	12	30	0.194	2.940	2.400	0.005K	0.045
73/10/12	14	30	0.120	4.290	3.500	0.010	0.030
73/11/10	14	25	0.124	0.900	0.400	0.012	0.025
73/12/04	12	40	0.224	0.790	0.450	0.004	0.020
74/01/05	13	00	0.240	0.800	0.264	0.005K	0.050
74/01/20	12	15	0.290	0.800	0.594	0.005K	0.015
74/02/03	14	25	0.160	0.500	0.390	0.005K	0.020
74/02/24	14	15	0.154	0.400	0.390	0.005K	0.040

K VALUE KJ050.10 35
 LESS THAN 1.00IC.FE0

STREET OF TULSA DATE 7-2-1973

3704C1 L53704C1
 35 25 30.0 04.3 31 00.0
 ALAKKA CREEK
 37 7.5 NOLAND CR
 T/FONTANA LAKE
 NO 1309 BRDG 7 MI WSW OF HAYSON CITY
 11EPALES 2111204
 + 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH OF FEET	06.20 04-TOTAL MG/L	06.25 TOT KJEL MG/L	06.10 04-TOTAL MG/L	00671 PHOS-DIS 04-TOTAL MG/L P	00665 PHOS-TOT MG/L P
73/03/25	12 15		0.174	0.225	0.029	0.005K	0.020
73/04/24	16 50		0.115	0.140	0.021	0.006	0.025
73/05/27	13 00		0.076	0.140	0.014	0.005K	0.034
73/07/01	10 35		0.115	0.230	0.044	0.005K	0.025
73/07/23	10 05		0.140	0.200	0.036	0.005K	0.035
73/08/10	03 45		0.147	0.502	0.210	0.005K	0.060
73/10/13	17 00		0.042	0.450	0.164	0.010	0.020
73/11/10	12 50		0.076	0.430	0.056	0.004	0.015
73/12/04	11 50		0.214	0.107	0.024	0.004	0.020
74/01/05	12 25		0.244	0.400	0.022	0.005K	0.030
74/01/20	10 30		0.200	0.400	0.025	0.012	0.015
74/02/03	13 05		0.156	0.100	0.025	0.005	0.020
74/02/24	11 15		0.130	0.400	0.040	0.005K	0.035

K VALUE 5.004 TO 32
 LESS 14.5 1.01C-123

Reproduced from
 best available copy.



SIDEST RETRIEVAL DATE 7/29/13

370401
 35 20 00.0 0P3 35 30.0
 NANTAHALA RIVER
 37 MAP SWAIN CO
 T/FONTANA LAKE
 RD 1180 HODG JUST N JCT WITH HWY 19
 2111204
 11EPA15
 4
 3000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NH-TOTAL MG/L	00625 TOT KJFL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS ORTHO MG/L P	00665 PHOS-TOT MG/L P
73/03/25	11 00		0.045	0.100K	0.008	0.005K	0.010
73/04/29	16 25		0.037	0.210	0.046	0.005K	0.010
73/05/27	11 10		0.013	0.630	0.022	0.005K	0.010
73/07/01	11 50		0.029	0.100K	0.039	0.005K	0.010
73/07/29	11 25		0.027	0.220	0.024	0.005K	0.015
73/09/19	11 00		0.023	3.100	0.115	0.008	0.010
73/10/12	14 00		0.013	0.100K	0.023	0.006	0.006
73/11/10	12 20		0.036	0.300	0.028	0.005K	0.010
73/12/08	11 05		0.036	0.100K	0.008	0.008	0.010
74/01/05	11 30		0.084	1.100	0.076	0.005K	0.015
74/01/20			0.056	0.400	0.028	0.005K	0.005
74/02/09	12 22		0.060	0.100K	0.010	0.005K	0.005
74/02/24	13 00		0.056	0.100K	0.015	0.005K	0.020

K VALUE KNOWN TO BE
 LESS THAN INDICATED

STREET DETENTION DATE 7/24/13

37061 LS37061
 35 24 00.0 0M3 37 30.0
 MANTON CREEK
 37 MAP GRAMAM CO
 1/FONTANA LAKE
 MAY 2M BRIDG 6.5 MI W JCT WITH MAY 14
 HERALDS 2111204
 3000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	CO ₂ TOTAL MG/L	CO ₂ MG/L	CO ₂ TOTAL MG/L	CO ₂ MG/L	CO ₂ TOTAL MG/L	CO ₂ MG/L	CO ₂ TOTAL MG/L	CO ₂ MG/L	CO ₂ TOTAL MG/L
73/03/25	12	45	0.037	0.1008	0.034	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/05/27	11	05	0.134	0.440	0.192	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/07/01	10	45	0.054	0.340	0.050	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/07/23	09	45	0.032	0.240	0.072	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/09/13	13	30	0.034	0.300	0.120	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/10/13	10	00	0.017	0.1508	0.016	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/11/11	11	00	0.034	0.350	0.024	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
73/12/03	11	30	0.034	0.300	0.032	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
74/01/04	14	00	0.043	0.400	0.016	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
74/01/20	11	00	0.042	0.4008	0.024	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
74/02/10	11	00	0.044	0.400	0.015	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058
74/02/24	11	00	0.112	0.4008	0.020	0.0058	0.0058	0.0058	0.0058	0.0058	0.0058

K VALUE ADJUSTED TO LESS THAN INDICATED

STORE RETRIEVAL DATE 75/01/13

3704F1 L53704F1
 35 24 00.0 043 40 30.0
 STECOAH CREEK
 37 7.5 TUSKEE/EE
 1/FONTANA LAKE
 RD 1236 BRDG 3 MI WNW OF STECOAH
 IIEPALES 2111204
 4 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	00630 NO ₃ -N-TOTAL MG/L	00625 TOT KJFL N MG/L	00610 NH ₃ -N TOTAL MG/L	00671 PHOS-DIS ORTH0 MG/L P	00665 PHOS-TOT MG/L P
73/03/25	12	20	0.230	0.170	0.023	0.006	0.025
73/04/28	10	10	0.210	0.140	0.033	0.009	0.025
73/05/27	12	00	0.150	0.540	0.150	0.011	0.065
73/07/01	11	30	0.140	1.480	0.079	0.010	0.030
73/07/29	10	30	0.240	0.330	0.019	0.011	0.045
73/08/19	11	30	0.220	2.520	0.138	0.008	0.045
73/10/13	10	25	0.168	0.550	0.024	0.015	0.030
73/11/11	09	55	0.168	1.000	0.060	0.012	0.020
73/12/09	11	00	0.270	0.109	0.020	0.012	0.025
74/01/05	18	00	0.340	0.300	0.024	0.012	0.035
74/01/20	12	00	0.330	0.200	0.032	0.012	0.020
74/02/10	12	00	0.276	0.600	0.022	0.010	0.030
74/02/24	12	00	0.245	0.100	0.015	0.010	0.045

STREET RETENTION DATE 75/01/13

3704/A 10 3704/A 0004994
 35 16 45.0 11 00.0
 WEST CAROLINA UNIVERSITY
 37 20 40.0 11 00.0
 TAFOWADA LANE
 COLLOMBE GREEN
 HEPALES 2141204
 0000 FEET DEPTH

DATE FROM TO	TIME OF DAY	DEPTH FEET	COAGULANT TOTAL MG/L	TOT KJEL N MG/L	00610 NH3-N TOTAL MG/L	00671 PHOS-DIS OUT40 MG/L	00665 PHOS-TOT MG/L	50051 FLOW RATE INST MG/D	50053 CONDUIT FLOW-MGD MONTHLY
73/08/03	11 00		0.830	5.430	0.300	0.940	4.200	0.200	0.500
73/08/13	08 00		1.560	2.900	0.430	1.960	2.550		
73/09/13	16 00								
73/10/10	10 00		3.030	8.650	3.740	4.300	5.050		
73/10/10	14 00								
73/11/12	04 00		5.330	11.000	3.500	4.100	4.900	0.450	
73/11/12	15 00								
73/12/14			2.420	4.500	0.910	1.340	2.600	0.150	0.300
74/01/14	09 00		2.040	7.200	3.200	4.000	5.100	0.395	0.575
74/01/14	14 00								
74/02/13	03 00		2.500	7.900	3.000	3.360	4.100	0.650	0.500
74/02/13	14 00								
74/03/14	10 00		3.800	7.800	2.700	3.900	5.300	0.500	0.450
74/05/27	04 00		5.600	11.000	1.400	2.400	3.500	0.600	0.624
74/05/27	13 00								
74/05/27	10 00		5.520	4.400	1.500	1.312	2.550	0.500	0.624
74/05/27	15 00								
74/07/23	04 00		6.250	2.800	1.400	3.200	3.900	0.500	0.624
74/07/23	15 00								
74/08/22	04 00		6.040	4.600	0.053K		1.000	0.600	0.624
74/08/22	15 00								